Exam Number/Code: 117-301

Exam Name: LPI 301 Core Exam

Version: Demo

http://www.it-exams.com

1. The following is an excerpt from a replication error log:

ERROR: No such attribute

replica: slave.example.com:389

time: 809618633

dn: uid=bjensen,dc=example,dc=com

changetype: modify replace: description description: A dreamer... replace: modifiersName

modifiersName: uid=bjensen,dc=example,dc=com

replace: modifyTimestamp

modifyTimestamp: 20000805073308Z

What is the name of this file? (Enter only the file name and no path information.)

Answer: replog.slave.example.com:389.rej slave.example.com:389.rej

- 2. An administrator notices that searches are being processed sequentially and taking a long time to complete. What should be done to speed up the searches?
- A. Add the correct indexes in slapd.conf, stop the server and run slapindex.
- B. Refine the search filter.
- C. Use the binarytreesearch option with ldapsearch.
- D. Use the fuzzy option with ldapsearch.

Answer: A

- 3. When assigned to the ref attribute for ou=people,dc=example,dc=com, which of the following values will create a subordinate knowledge link to slave.example.com?
- A. ldap://slave.example.com/ou=people,dc=example,dc=com
- B. ldap://slave.example.com?ou=people,dc=example,dc=com
- C. ldap://slave.example.com ou=people,dc=example,dc=com
- D. ldap://slave.example.com,ou=people,dc=example,dc=com

Answer: A

- 4. Which of the following ACL lines allows access to all hosts that have an IP address that starts with 192.168.1?
- A. by peername=192.168.1.*
- B. by peername=192.168.1.
- C. by ipaddress=192.168.1.*
- D. by ipaddress=192.168.1.

Answer: A

- 5. When investigating memory usage, what is the most important measurement for capacity planning purposes?
- A. resident set size (RSS)
- B. total memory
- C. virtual memory size (VSZ)

D. swap memory usage

Answer: A

- 6. Which of the following describes correct LDAP service definitions? (Choose THREE correct answers.)
- A. LDAP was developed as a lightweight alternative to DAP.
- B. LDAPv6 is the latest stable version specified by RFCs.
- C. LDAP follows the X.500 directory standard.
- D. X.500 directories can run only over TCP/IP.
- E. LDAP is optimized for searching information.

Answer: ACE

- 7. Which of the following is correct about this excerpt from an LDIF file?
- dn: cn=PrintOperators,ou=Groups,ou=IT,o=BR
- A. dn is the domain name.
- B. o is the organizational unit.
- C. cn is the common name.
- D. dn is the relative distinguished name.

Answer: C

- 8. What does the LDIF acronym stand for?
- A. Lightweight Database Interchange Format
- B. LDAP Database Interchange Format
- C. LDAP Data Internet File
- D. LDAP Data Interchange Format

Answer: D

- 9. To restrict user authentication to ONLY users who belong to a specific organizational unit, which file should be modified?
- A. ldap.conf
- B. pam_ldap.conf
- C. pam.conf
- D. /etc/pam.d/login
- E. /etc/pam.d/ldap

Answer: A

- 10. Which LDAP object class is used in a white pages implementation?
- A. friendlyPerson
- B. organizationalRole
- C. posixAccount
- D. inetOrgPerson
- E. whitepageUser

Answer: D

```
LDIF file:
$ldap = Net::LDAP>new('ldap.server.com');
$mesg = $ldap>bind( 'cn=incadmin,o=inc', password => 'secret' );
[YOUR ANSWER GOES HERE]
Net::LDAP::LDIF>new( \*STDOUT,"w" )>write( $mesg>entries );
$mesg = $ldap>unbind;
Which code snippet contains the correct query?
A. $mesg = $ldap>search(
base => 'o=inc',
);
B. $mesg = $ldap>search(
base => 'cn=incadmin,o=inc',
scope => 'one',
filter => '(objectclass=*)'
);
C. $mesg = $ldap>search(
base => 'o=inc',
scope => 'sub',
filter => '(objectclass=*)'
D. $mesg = $ldap>search(
base => 'o=inc',
recursive => 'yes',
filter => '(*)'
);
Answer: C
12. Which of the following are common Net::LDAP methods? (Choose THREE correct answers.)
A. bind
B. query
C. error
D. search
E. unbind
Answer: ADE
13. Which of the following arguments complete the command which will search for cn=ldapadmin
OR
ou=BR recursively in the directory?
ldapsearch LLL h server s sub b "o=inc" "_____"
A. ( (cn=ldapamin)|(ou=BR) )
B. ( |(cn=ldapamin) (ou=BR) )
C. ( (cn=ldapamin) (ou=BR) )
D. ( (cn=ldapamin) (ou=BR)|)
```

11. The following excerpt is from a Perl script that reads from an LDAP database and writes an

E. ((cn=ldapamin) (ou=BR)) Answer: B
14. Which of the following are valid LDAP client commands? (Choose TWO correct answers.) A. Idappasswd B. Idapbrowser C. slapcat D. Idapwhoami E. slaptest Answer: AD
15. The command is used to check the integrity of the slapd.conf file. (Enter only the command, without any options or parameters.) Answer: slaptest
16. Which command should be used to optimize LDAP searches? A. Idapsearch b sub B. make /var/lib/openIdapdata/ C. slapindex D. slapd r +20 E. slapd instances=10 f Answer: C
17. Which command will perform a onelevel search from the DN c=INC, for all entries whose organization's name begins with RioDeJaneiro? A. Idapsearch LLL b "c=INC" "(o=description)" RioDeJaneiro* B. Idapsearch b "c=INC" f "(o=description,cn=RioDeJaneiro%)" C. Idapsearch LLL s one b "c=INC" "(o=RioDeJaneiro*)" D. Idapsearch s sub b "c=INC" f "(o=RioDeJaneiro)(description)" Answer: C
18. The daemon provides the capability for a master slapd server to propagate changes to a slave. Answer: slurpd slurp
19. Which of the following steps should be followed when configuring a slave slapd server? (Choose THREE correct answers.) A. Add a replica directive to slapd.conf. B. Do not add a replogfile directive to slapd.conf. C. Add an updatedn directive to slapd.conf. D. Add a replogfile directive to slapd.conf. E. Do not add a replica directive to slapd.conf.

Answer: BCE

- 20. Which option should be used to disable anonymous binds to your LDAP directory?
- A. disallow bind_anon
- B. disallow bind_anon_cred
- C. disallow bind_simple_unprotected
- D. disallow bind_simple

Answer: A