

**Exam Number/Code:**C2040-929

**Exam Name:**IBM WebSphere Portal 8.0  
Deployment and Administration Update

**Version:** Demo

**<http://www.it-exams.com>**

QUESTION NO: 1

What parameter should be used with ConfigEngine install-paa to install the IBM Solution Installer?

- A. -DWasUser=<WasUserID>
- B. si-setup
- C. install.sh
- D. -DPAALocation=<paafile>

Answer: D

QUESTION NO: 2

Which one of the following best describes how Theme Customization works in IBM WebSphere Portal 8.0?

- A. Static HTML Files are contained in the WAR File.
- B. Static resources are deployed to WebDAV.
- C. Theme JSP files are deployed to WebDAV.
- D. Static and dynamic resources are deployed to WebDAV.

Answer: B

QUESTION NO: 3

Jerry needs to create a response file to run a silent install on an IBM AIX system. Which command should he run?

- A. ./installmanager.sh -create -silent responsefile.txt
- B. ./IBMIM -record /opt/temp/WP8response.xml -skipInstall /opt/temp
- C. ./install.sh -options "/opt/ibm/installresponse.txt"
- D. ./install.sh -console "/opt/ibm/installresponse.txt"

Answer: B

QUESTION NO: 4

What parameter does install-paa use to control the behavior of IBM Web Content Manager library installs?

- A. -DwcmBehave=false

- B. -DWasUser=wasadmin
- C. -Dwcmdetect=true
- D. -DwcmBehave=true

Answer: C

QUESTION NO: 5

Which one of the following is true when using OpenID as an external identity provider?

- A. Administrators are not allowed to change the list of external identity providers that users can access.
- B. To modify the list of accepted external identity providers, administrators can edit the openid.servicenames property in the Resource Environment Providers section in the IBM WebSphere Integrated Solutions console.
- C. To modify the list of accepted external identity providers, administrators can edit the openid.servicenames in the custom properties for the com.ibm.portal.auth.OpenIDTAI trust association interceptor.
- D. To modify the list of accepted external identity providers, administrators need to edit the openid.servicenames property in the wkplc.properties file and then run the enable-identityprovidertai task.

Answer: C