

Exam Number/Code:E20-598

Exam Name: Backup and Recovery
- Avamar Specialist Exam for
Storage Administrators

Version: Demo

<http://www.it-exams.com>

Question: 1

You are cloning a save set in NetWorker. There is one appendable clone volume available.

However, the clone operation is not using this volume and is asking for a new volume to be mounted.

What may be the cause?

- A. Entire cloned save set must fit on the clone volume and there is not enough room
- B. Source volume has an earlier clone of the save set
- C. Clone volume has an earlier clone of the save set
- D. Source volume is being used for another clone operation

Answer: C

Question: 2

In a Windows environment, the NetWorker nsrd process will not start because the resource database is corrupt. How can you recover the resource information?

- A. rename ...\\nsr\\index, start nsrd, and run mmrecov
- B. rename ...\\nsr\\res, start nsrd, and run recover
- C. remove ...\\nsr\\index, start nsrd, and run mmrecov
- D. remove ...\\nsr\\res, start nsrd, and run mmrecov

Answer: D

Question: 3

You need to direct all save sets from several NetWorker clients to the same set of backup volumes. Which attributes in a pool resource can you configure to accomplish this?

- A. Groups, Save sets and Levels
- B. Save sets and Devices
- C. Groups and Clients
- D. Clients, Save sets and Levels

Answer: C

Question: 4

On the Replication Manager server, which process would you check if you are having problems communicating with the client?

- A. IRCCD

- B. PRD
- C. IRD
- D. IRCD

Answer: C

Question: 5

In NetWorker 7.3, what does `nsr_shutdown` use to determine which processes to shut down and in which order?

- A. run files
- B. process info files
- C. shutdown script files
- D. `nsr_proc_id` files

Answer: A

Question: 6

You are having problems mounting an additional replica on a Solaris Mount Host using Replication Manager. Which file would you check for any misconfiguration?

- A. `/kernel/drv/emulex.conf`
- B. `/kernel/drv/st.conf`
- C. `/kernel/drv/sd.conf`
- D. `/kernel/drv/lputil.conf`

Answer: C

Question: 7

You added a new tape library with three physical drives to an existing storage node in a NetWorker environment. How many licenses of any kind are needed?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: A

Question: 8

What must be configured for a directed recovery to be performed using NetWorker?

- A. Administering client must be in destination client's Remote Access list
- B. Destination client must be in source client's "servers" file
- C. Destination client must be in source client's Remote Access list
- D. Source client must be in destination client's "servers" file

Answer: C

Question: 9

Which operating system must the host be running in order to install the NetWorker Management Console?

- A. Windows or NetWare
- B. Windows or HP-UX
- C. Windows or Solaris
- D. Windows or Linux

Answer: C

Question: 10

What is a requirement for an Auto Archive operation to successfully happen?

- A. The Auto Archive license must be installed
- B. The CLARiiON Disk Library must be running at least version 1.2 of the emulation software
- C. The virtual library must be the same type as the physical library
- D. The virtual tape drive must be the same type as the physical tape drive

Answer: D