

**Exam Number/Code:**EE0-011

**Exam Name:**ATG Certified  
Relationship Management Developer

**Version:** Demo

<http://www.it-exams.com>

#### QUESTION 1

Which is true of the Dynamo standard security policy?

- A. if no ACL is defined for an object, access is denied
- B. if no ACL entries apply to the user, access is allowed.
- C. If the CL for an object has a "deny" access right that applies to a user, access is allowed if other permissions are positive.
- D. If the ACL for an object has a "deny" access right that applies to a user, access is denied even if other permission are positive

Answer: D

#### QUESTION 2

Which Dynamo servlet bean displays the contents of a slot?

- A. Slot Value
- B. PossibleValues
- C. TargetingForEach
- D. ItemLookupDroplet

Answer: C

#### QUESTION 3

Which two are necessary for customizing the Profile Repository? (Choose two.)

- A. customize the ProfileAdapterRepository component
- B. configure an LDAP Repository to hold the username and password
- C. modify the database, adding or deleting tables or columns as needed
- D. write a userProfile.xml additions and/or deletions to the standard profile

Answer: C, D

#### QUESTION 4

Which two features describe an SQL repository? (Choose two.)

- A. An XML file maps database structures to objects
- B. All SQL queries must be specified in the configuration
- C. SQL Repositories that store files should not exceed 1.000 files.
- D. Transient properties can be defined that are not stored in a database.

Answer: A, D

#### QUESTION 5

Which two are required to create a scenario email campaign that sends a targeted email to the female site users once every month? (Choose two.)

- A. a People Element
- B. an On Time Element
- C. a What Time Element
- D. a Between Time Element
- E. an email template that contains a targeter that show information only to females

Answer: A, B

#### QUESTION 6

You want to remove middleName from the user item descriptor in the Profile Repository and add a Boolean over 18 property. What should you do in your custom user Profile .xml file?

- A. create a user item-descriptor tag with xml-combine="replace" create a middlename property tag with xml-combine="remove" create an over 18 property tag with xml-combine="append"
- B. create an over 18 property tag with xml-combine="append" create a middlename property tag with xml-combine="remove" create a user item-descriptor tag with xml-combine="replace"
- C. create a user item-descriptor tag with on xml-combine= declaration create a middlename property tag with xml-combine="remove" create an over 18 property tag with xml-combine="append"
- D. create a user item-descriptor tag with on xml-combine="declaration create a middlename property tag with xml-combine="replace" create an over 18 property tag with xml-combine="append"

Answer: C

#### QUESTION 7

What are two design features of the profile repository? (Choose two.)

- A. The standard user profile definition can be extended or completely overridden.
- B. User profiles can be stored in an SQL database or an LDAP repository, but not both.

C. User profile information can be stored in an SQL Repository or in XML files on the filesystem.

D. User properties are defined in multiple configuration layers and combined using XML file combination.

Answer: A, D

#### QUESTION 8

What are the three security in the Dynamo User Directory structure? (Choose three.)

A. role

B. user

C. group

D. member

E. function

EE0-011

F. organization

Answer: C, D, E

#### QUESTION 9

Which method of the profileFormHandler should you override to implement code that updates a custom statistics data store whenever a new user successfully registers?

A. createUser ()

B. handleCreate ()

C. postCreateUser ()

D. createUserSuccess ()

Answer: C

#### QUESTION 10

In order to use the targeting features of the ACC, a content repository must \_\_\_\_.

A. be structured with content folder items and content items

B. contain the meta-data and the content itself in the same data source

C. be built without using repository item inheritance and can only have non-multivalued properties

D. be listed in the initialRepositories property of the ContentRepositories component

Answer: D