

Exam Number/Code:EE0-502

Exam Name:BIG-IP Advanced

Version: Demo

<http://www.it-exams.com>

QUESTION 1

- A. Current time
- B. Password of the "root" user
- C. IP address of an initial Virtual Server
- D. IP address restrictions for access to the Configuration Utility
- E. Self IP address

Answer: A,C,D

QUESTION 2

When administrative users are created, which three access levels can they be granted through the BIG-IP Configuration Utility? (Choose three)

- A. CLI
- B. Web Read Only
- C. CLI + Web Read Only
- D. CLI + Full Web Read / Write
- E. CLI + Partial Web Read / Write

Answer: C,D,E

QUESTION 3

Which IP address does the BIG-IP assign itself by default at startup, before the BIG-IP has been configured.

- A. 10.10.1.245 or 192.168.245.245
- B. 192.168.1.127 or 192.168.1.245
- C. 192.168.245.245 or 192.168.1.245
- D. 172.16.1.245 or 172.16.245.245

Answer: C

QUESTION 4

You are using the Setup Utility. Which two statements about the DNS Proxy section are true? (choose two)

- A. If the option is chosen, the IP address of a DNS server is entered here.
- B. If the option is chosen, it allows the BIG-IP System to resolve host names for nodes.
- C. If the option is chosen, the hostname of an available DNS server must be entered here.

D. If the option is chosen, the IP address of a DNS server on the same subnet must be entered here.

Answer: A,B

QUESTION 5

Which three methods are available for a authentication of administrative users logging on to BIG-IP's web based Configuration Utility? (Choose three)

- A. Local LDAP database
- B. Local Radius database
- C. Remote LDAP database
- D. Remote Radius database
- E. Local master passwd database

Answer: B,C,D

QUESTION 6

Which statement is true concerning the configuration of Pools?

- A. Each Pool is configured with a primary load balancing method and backup load balancing method.
- B. A Pool cannot be created unless the Virtual Server that will use it already exists.
- C. Every Pool is configured with a load balancing method.
- D. Once a node is added to one Pool, it cannot be added to any other Pools.

Answer: C

QUESTION 7

When a Virtual Server is created, which VLANs are enabled for the Virtual Server by default?

- A. all existing VLANs
- B. the internal VLAN only
- C. the external VLAN only
- D. the VLAN used by the default route only
- E. None are associated by default. All assignments are explicit.

Answer: A

QUESTION 8

Which statement describes normal traffic through a Virtual Server on a BIG-IP?

- A. source IP address translated in both initiating and responding packets.
- B. Destination IP address translated in initiating and responding packets.
- C. Destination IP address translated in initiating packets; Source IP address translated in response packets
- D. Source IP address translated in initiating packets; destination IP address translated in response packets

Answer: C

QUESTION 9

Which BIG-IP log file stores data concerning node status?

- A. Status Log (/var/log/status)
- B. BIG-IP Log (/var/log/bigip)
- C. Monitor Log (/var/log/bigd)
- D. System Log (/var/log/messages)

Answer: C

QUESTION 10

When using the Fastest load balancing method, how is the node address response time measured?

- A. Agent software is installed on the node which reports response times to BIG-IP.
- B. BIG-IP measures the node address response time to requests over the network.
- C. The administrator configures a speed for each node in the node properties.
- D. BIG-IP measures the node's response time to a ping, and adds to the number of open connections.

Answer: B