Exam Number/Code:M70-101

Exam Name: Magento Certified
Developer Exam

Version: Demo

QUESTION NO: 1
For an attribute to be loaded on a catalog/product object, which two of the following conditions must be satisfied? (Choose two)

A. The eav_attribute table must contain a row defining the attribute's properties and its entity type.
B. The attribute must have a backend model configured in the XML config.
C. The attribute must be part of the attribute set pertaining to the object being loaded.
D. There must be a record of the attribute on the catalog_product_super_attribute table.
E. There must be a column added to the catalog_product_entitytable.

Answer: A,C

QUESTION NO: 2
What class does an adminhtml grid directly extend?

A. Mage_Adminhtml_Block_Widget
B. Varien_Data_Grid
C. Varien_Data_Widget
D. Mage_Adminhtml_Block_Template

Answer: A

QUESTION NO: 3
You have a product collection and want to add a filter to get all products whose name starts with Test or whose price is 0.00.
Which of the following statements would add that OR condition?

```
A.  $collection->addAttributeToFilter(array(
        array('attribute' => 'price', 'eq' => 0.00),
        array('attribute' => 'name', 'like' => 'Test%')
    ));

B.  $collection
        ->addFieldToFilter('price', 0.00)
        ->addFieldToFilter('name', array('like' => 'Test%')
    );

C.  $collection
        ->addAttributeToFilter('price', 0.00)
        ->addAttributeToFilter('name', array('like' => 'Test%')
    );

D.  $collection->addFieldToFilter(
        array('price', 'name'),
        array(array('eq' => 0.00), array('like' => 'Test%'))
    );

E.  $collection
        ->addAttributeToFilter('price',0.00)
        ->addOrCondition('name', array('like' => 'Test%'));
```

A. Option A
B. Option B
C. Option C
D. Option D
E. Option E

Answer: A

QUESTION NO: 4
Which three of the following conditions are used to protect an admin route via ACL?
(Choose three)

A. You have defined an ACL in your module configuration
B. At least one admin role must have permission for that route
C. You have extended the controller from Mage_Adminhtml_Controller_Action
D. You have defined a method _isAllowed which checks the permission
E. The route name must start with admin

Answer: A,C,D

QUESTION NO: 5
Which table is used for calculating a new increment ID for an order?

A. sales_flat_order_increment
B. eav_entity_store
C. core_increment
D. core_config_data

Answer: B

QUESTION NO: 6
Which one of the following API methods exists in Magento?

A. catalog_category.save
B. catalog_product.items
C. catalog_product_attribute_set.update
D. catalog_product.info

Answer: D

QUESTION NO: 7
Which one of the following classes must you extend in order to implement a custom indexer?

A. Mage_Eav_Model_Indexer_Abstract
B. Mage_Core_Model_Indexer_Abstract
C. Mage_Index_Model_Entity_Indexer_Abstract
D. Mage_Index_Model_Indexer_Abstract

Answer: D

QUESTION NO: 8
Which two EAV attribute frontend_input types make use of source models? (Choose two)

A. text
B. textarea
C. select
D. multiselect
E. date
F. gallery

Answer: C,D

QUESTION NO: 9
What is the difference in the effect of calling the invoice capture ( ) method versus the invoice pay ( ) method?

A. No difference: pay () will always call capture( ).
B. pay( )will trigger the payment and capture( )will not.
C. capture( )will trigger the payment and pay( )will not.
D. The difference is determined by the payment method implementation.

Answer: C

QUESTION NO: 10
How is the sort order in which total models collect their values specified?

A. The sort order is specified in the admin configuration under Sales > "Checkout Totals Sort Order".
B. The sort order is specified in the system configuration under
global/sales/quote/totals/ [total_code] with <before> and <after> nodes.
C. The sort order is defined by the module loading order as specified by the children of the modules/ [module_name]/depends configuration node.
D. The sort order is specified by the collect method in each total model.

Answer: A