

**Exam Number/Code:**M70-301

**Exam Name:**Magento Front End  
Developer Certification Exam

**Version:** Demo

**<http://www.it-exams.com>**

QUESTION NO: 1

Which of the following is the correct code for assigning a custom template file using layout XML?

- A. `<block type="core/text_list" name="custom.template" template=" folder/custom_template.phtml"/>`
- B. `<block type="core/template" name="custom template" template=" folder/custom_template.phtml"/>`
- C. `<block type="block/template" name="custom template" template=" folder/custom_template.phtml"/>`
- D. `<block type="cms/block" name="custom.template" template=" folder/custom_template.phtml"/>`
- E. `<block type="block/html" name="custom template" template=" folder/custom_template.phtml"/>`

Answer: B

QUESTION NO: 2

You want to create a wrapper block that uses an HTML tag name which is set by the action `setHtmlTagName`. The wrapper block should render all its child blocks within the HTML tag. Which block type should you use to create the wrapper block?

- A. `page/html`
- B. `page/wrapper`
- C. `page/div wrapper`
- D. `page/html_wrapper`

Answer: D

QUESTION NO: 3

You want to figure out which phtml-files are rendering in the front end. Which developer tool helps you do that?

- A. Profiler
- B. `Exception.log`
- C. Block Class Names
- D. Template Path Hints
- E. `System.log`

Answer: D

QUESTION NO: 4

Which is the correct order of the three types of translations by priority (1 = highest, 3 = lowest)?

- A. 1. Database (Inline) translation  
2. Module translation  
3. Theme translation
- B. 1. Database (Inline) translation  
2. Theme translation  
3. Module translation
- C. 1. Module translation  
2. Database (In line) translation  
3. Theme translation
- D. 1. Theme translation  
2. Database (In line) translation  
3. Module translation

Answer: B

QUESTION NO: 5

Which piece of code creates a url that links to the store pages in transactional email templates?

- A. `{{store url=""}}`
- B. `{{ store_page url=" "}}`
- C. `{{ store_url=" "}}`
- D. `{{ store_name url=" "}}`

Answer: A

QUESTION NO: 6

Your project, which uses prototype.js, contains the JavaScript class Photoviewer (see EXAMPLE, below). Which one of the following code samples will create a class called AdvancedPhotoViewer that extends Photoviewer?

EXAMPLE:

```
var PhotoViewer = Class.create();
```

- A. `var AdvancedPhotoViewer = new PhotoViewer()`
- B. `AdvancedPhotoViewer.prototype = Object.extend (new PhotoViewer ())`
- C. `var AdvancedPhotoViewer = Class.extend (PhotoViewer)`
- D. `AdvancedPhotoViewer = PhotoViewer.extend ()`

Answer: B

QUESTION NO: 7

Which element in layout XML specifies a method to be called on a referenced or newly defined block?

- A. <action>
- B. <call>
- C. <change>
- D. <method>
- E. <update>

Answer: A

QUESTION NO: 8

Which is the correct type attribute for a structural block?

- A. core/block
- B. core/html\_wrapper
- C. core/text
- D. core/text\_list

Answer: D

QUESTION NO: 9

You want to create a new “screendesign” package based on the “default” package’s “default” theme.

Which ONE of the following steps do you have to take?

- A. Copy app/design/base to app/design/screendesign
- B. Create an empty folder app/design/frontend/screendesign and copy app/design/frontend/default/default into it
- C. Create skin/frontend/screendesign, then copy the CSS and images folders and their files from /skin/frontend/default/default/ to skin/frontend/screendesign/default
- D. Inside app/design/frontend and skin/frontend, copy the folder “default” to the folder “custom”; then rename custom/default to custom/screendesign in both places

QUESTION NO: 10

When a block of type \_\_\_\_\_ is rendered, all its child blocks are rendered automatically, without the need to call the getChildHtml () method.

- A. Page/html
- B. Core/template
- C. Core/text\_list
- D. Page/html\_wrapper

Answer: C